

**BLACK, SINGLE-USE GLOVE WITH GRIP PATTERN, 100% NITRILE, POWDER-FREE, 240MM LONG**

High performance, powder-free, black, nitrile single-use glove with patented TRXON grip pattern technology. Provides outstanding grip performances and chemical protection.

**FEATURES**

- › High-quality nitrile, soft and durable
- › Palm thickness 0.18mm (7mil), weight: 7.5g, size M
- › High resistance to penetration and projections of many chemicals
- › Patented TRXON grip pattern technology on both sides, offering outstanding grip properties in all conditions
- › Powder-free, latex-free, non-sterile, AQL 1.5
- › Chlorinated inside to offer increased comfort and reduce friction when donning
- › Anti-static properties due to inherent anti-static properties of nitrile
- › Lasts up to 5 times longer than regular single-use gloves in industrial applications
- › Ambidextrous for easy and quick donning



**SUITABLE FOR**


**Typical Industries**

- Aerospace
- Chemical
- Electronics
- Automotive
- Manufacturing
- Oil and Gas

**Suitable Applications**

- Chemical Handling
- Handling Oily Components
- Light Assembly
- Engineering
- Repair and Finishing

**CERTIFICATION**



See overleaf for explanation

PRODUCT INFORMATION		
MATERIALS	LINER:	Nitrile
	COATING:	N/A
COLOUR	Black	
LENGTH (mm)	240	
CUFF STYLE	Beaded	

- ### RECOMMENDATIONS FOR USE
- **USE:** Single use glove. Not suitable for mechanical, thermal, heat, electrical, heavy chemical protection. Do not use near moving machines if there is a risk of entanglement.
  - **STORAGE:** Store in dry conditions in the original packaging and away from direct sunlight.
  - **CLEANING:** To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present.
  - **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use.

ORDERING DETAILS		
SIZE	CODE	PACKAGING
7/S	SKG00724BD	100 singles per box
8/M	SKG00724BF	
9/L	SKG00724BH	10 boxes per case
10/XL	SKG00724BJ	
11/XXL	SKG00724BL	

### CERTIFICATION LEGENDS

**RESISTANCE TO CHEMICAL PERMEATION - EN ISO 374:2016**

CODE	CHEMICAL	CODE	CHEMICAL
A	Methanol	J	n-Heptane
B	Acetone	K	Sodium hydroxide 40%
C	Acetonitrile	L	Sulphuric acid 96%
D	Dichloromethane	M	65% Nitric acid
E	Carbon Disulfide	N	99% Acetic acid
F	Toluene	O	25% Ammonium hydroxide
G	Diethylamine	P	30% Hydrogen peroxide
H	Tetrahydrofurane	S	40% Hydrofluoric acid
I	Ethyl acetate	T	37% Formaldehyde

**FOOD CONTACT DIRECTIVE EC 10/2011**

TYPE OF GLOVES	BREAKTHROUGH TIME
A	≥30 min for at least 6 chemicals
B	≥30 min for at least 3 chemicals
C	≥10 min for at least 1 chemical

**PROTECTION AGAINST MICRO-ORGANISMS EN 374-5**

VIRUS = Glove has passed ISO 16604:2004 (method B)

**EUROPE**  
[www.globusgroup.com](http://www.globusgroup.com)  
**E:** sales@globus.co.uk  
**T:** +44 (0)161 877 4747  
**F:** +44 (0)161 877 4746

**MIDDLE EAST AND AFRICA**  
[www.globusgroup.com/gcc](http://www.globusgroup.com/gcc)  
**E:** gcc@globusgroup.com  
**T:** +971 4 882 9962  
**F:** +971 4 882 9963

